

# Output results of CLIME (CLustering by Inferred Models of Evolution)

## Dataset:

Num of genes in input gene set: 6  
Total number of genes: 20834  
Prediction LLR threshold: 0

The CLIME PDF output two sections:

### 1) Overview of Evolutionarily Conserved Modules (ECMs)

- Top panel shows the predefined species tree.
- Bottom panel shows the partition of input genes into Evolutionary Conserved Modules (ECMs), ordered by ECM strength (shown at right), and separated by horizontal lines.
- Each row show one gene, where the phylogenetic profile indicates presence (blue) or absence (gray) of homologs in each species (column).
- Gene symbols are shown at left. Gray color indicates that the gene is a paralog to a higher scoring gene within the same ECM (based on BLASTP  $E < 1e-3$ ).


### 2) Details of each ECM and its expansion ECM+

- Top panel shows the inferred evolutionary history on the predefined species tree. Branch color shows the gain event (blue) and loss events (red color, with brighter color indicating higher confidence in loss). Branches before the gain or after a loss are shown in gray.
- Bottom panel shows the input genes that are within the ECM (blue/white rows) as well as all genes in the expanded ECM+ (green/gray rows). The ECM+ includes genes likely to have arisen under the inferred model of evolution relative to a background model, and scored using a log likelihood ratio (LLR).
- PG indicates "paralog group" and are labeled alphabetically (i.e., A, B). The first gene within each paralog group is shown in black color. All other genes sharing sequence similarity (BLAST  $E < 1e-3$ ) are assigned to the same PG label and displayed in gray.



# ECM 1, Gene set "DNA-dependent protein kinase-DNA ligase 4 complex", Page 1

Num of ECM Genes: 2. Num of Predicted Genes: 5. ECM Strength: 0.0




1: DNA-dependent protein kinase-DNA ligase 4 complex || 2: Ku70:Ku80 complex || 3: nonhomologous end joining complex || 4: nuclear telomere cap complex || 5: nuclear chromosome, telomeric region || 6: external side of plasma membrane

PG	Protein	LLR	Notes
	XRCC6		1/2/3/4
	XRCC5		1/2/3/4/5
A	CYP1B1	8.4	
A	SLC22A4	4.7	
A	SVOPL	4.7	
A	SLC22A11	3.0	6
A	SLC22A13	0.7	

ECM 2, Gene set "DNA-dependent protein kinase-DNA ligase 4 complex", Page 1


Num of ECM Genes: 1. Num of Predicted Genes: 0



1: DNA-dependent protein kinase-DNA ligase 4 complex || 2: nonhomologous end joining complex

ECM 3, Gene set "DNA-dependent protein kinase-DNA ligase 4 complex", Page 1

Num of ECM Genes: 1. Num of Predicted Genes: 0





1: condensed chromosome || 2: DNA ligase IV complex || 3: DNA-dependent protein kinase-DNA ligase 4 complex || 4: focal adhesion || 5: nonhomologous end joining complex



ECM 5, Gene set "DNA-dependent protein kinase-DNA ligase 4 complex", Page 1



Num of ECM Genes: 1. Num of Predicted Genes: 41



1: condensed chromosome || 2: DNA ligase IV complex || 3: DNA-dependent protein kinase-DNA ligase 4 complex || 4: nonhomologous end joining complex || 5: cytoplasmic membrane-bounded vesicle lumen || 6: extracellular matrix || 7: Golgi lumen || 8: proteinaceous extracellular matrix || 9: zymogen granule membrane || 10: peroxisome || 11: nuclear envelope || 12: mitochondrial nucleoid || 13: U12-type spliceosomal complex || 14: endoplasmic reticulum-Golgi intermediate compartment membrane || 15: integral to luminal side of endoplasmic reticulum membrane || 16: lipid particle || 17: HAUS complex || 18: spindle pole || 19: spindle || 20: ribosome

ECM 5, Gene set "DNA-dependent protein kinase-DNA ligase 4 complex", Page 2

Num of ECM Genes: 1. Num of Predicted Genes: 41



1: basolateral plasma membrane || 2: proteinaceous extracellular matrix