

Output results of CLIME (CLustering by Inferred Models of Evolution)

Dataset:

Num of genes in input gene set: 9
Total number of genes: 20834
Prediction LLR threshold: 0

The CLIME PDF output two sections:

1) Overview of Evolutionarily Conserved Modules (ECMs)


- Top panel shows the predefined species tree.
- Bottom panel shows the partition of input genes into Evolutionary Conserved Modules (ECMs), ordered by ECM strength (shown at right), and separated by horizontal lines.
- Each row show one gene, where the phylogenetic profile indicates presence (blue) or absence (gray) of homologs in each species (column).
- Gene symbols are shown at left. Gray color indicates that the gene is a paralog to a higher scoring gene within the same ECM (based on BLASTP $E < 1e-3$).

2) Details of each ECM and its expansion ECM+

- Top panel shows the inferred evolutionary history on the predefined species tree. Branch color shows the gain event (blue) and loss events (red color, with brighter color indicating higher confidence in loss). Branches before the gain or after a loss are shown in gray.
- Bottom panel shows the input genes that are within the ECM (blue/white rows) as well as all genes in the expanded ECM+ (green/gray rows). The ECM+ includes genes likely to have arisen under the inferred model of evolution relative to a background model, and scored using a log likelihood ratio (LLR).
- PG indicates "paralog group" and are labeled alphabetically (i.e., A, B). The first gene within each paralog group is shown in black color. All other genes sharing sequence similarity (BLAST $E < 1e-3$) are assigned to the same PG label and displayed in gray.

Overview of Evolutionarily Conserved Modules (ECMs)

Last Common Ancestor



Protists

Plants


Fungi

Metazoa

Protein

ECM 1

ECM 2




Strength

0.0

0.0


ECM 1, Gene set "AP-type membrane coat adaptor complex", Page 1

Num of ECM Genes: 3. Num of Predicted Genes: 0. ECM Strength: 0.0




ECM 2, Gene set "AP-type membrane coat adaptor complex", Page 1

Num of ECM Genes: 2. Num of Predicted Genes: 0. ECM Strength: 0.0



ECM 3, Gene set "AP-type membrane coat adaptor complex", Page 1



Num of ECM Genes: 1. Num of Predicted Genes: 1



1: AP-type membrane coat adaptor complex || 2: clathrin adaptor complex || 3: late endosome || 4: late endosome membrane || 5: lysosomal membrane || 6: lysosome || 7: Cul2-RING ubiquitin ligase complex

ECM 4, Gene set "AP-type membrane coat adaptor complex", Page 1


Num of ECM Genes: 1. Num of Predicted Genes: 8



1: AP-type membrane coat adaptor complex || 2: Cul2-RING ubiquitin ligase complex || 3: HAUS complex || 4: spindle || 5: ubiquitin ligase complex || 6: peroxisome || 7: BLOC-1 complex || 8: neuron projection || 9: synapse || 10: synaptic vesicle || 11: synaptic vesicle membrane

ECM 5, Gene set "AP-type membrane coat adaptor complex", Page 1

Num of ECM Genes: 1. Num of Predicted Genes: 14




PG	Protein	LLR	Notes
	AP5S1		
	MEDAG	11.3	1/2/3/4/5
A	CARD18	8.1	
B	SAA2	5.5	6
B	SAA2-SAA4	5.5	
B	SAA4	5.5	6
	CENPQ	5.3	7
	HAU57	4.5	8/9
	C7orf72	3.0	
	JMY	2.1	10
A	CARD17	1.5	
A	CARD16	1.5	
C	GPBP1	0.3	
C	HBQ1	0.3	11
C	GPBP1L1	0.3	

1: AP-type membrane coat adaptor complex || 2: late endosome || 3: late endosome membrane || 4: lysosomal membrane || 5: lysosome || 6: high-density lipoprotein particle || 7: chromosome, centromeric region || 8: HAUS complex || 9: spindle || 10: cell leading edge || 11: hemoglobin complex

ECM 6, Gene set "AP-type membrane coat adaptor complex", Page 1

Num of ECM Genes: 1. Num of Predicted Genes: 52




PG	Protein	LLR	Notes
	AP5B1		1
	C1orf51	9.7	
A	CAMK2N1	9.7	2 / 3
A	CAMK2N2	9.7	
	NDUFA3	9.7	4
B	NPW	9.7	
	REP15	7.9	5
C	LOC100294020	7.5	
C	LOC100294020	7.5	
	SPACA4	7.5	6 / 7
	ECM1	7.2	8 / 9
	TCTA	7.2	
	CD58	7.0	7
	C19orf67	6.4	
	C19orf67	6.4	
	LOC728056	5.8	
	OMP	5.6	10
D	FAM197Y7	4.9	
D	FAM197Y8	4.9	
D	FAM197Y9	4.9	
D	FAM197Y4	4.9	
D	FAM197Y5	4.9	
D	FAM197Y6	4.9	
	LOC649201	4.9	
	SMIM10	4.1	
	SYCN	4.1	11 / 12
	SMIM1	4.1	
	C3orf80	3.8	
	NPFF	3.7	
	GNRH2	3.7	
	BCL2L12	2.3	
	C2orf80	2.3	
B	NPB	1.1	
	FAM86C1	1.1	
	LOC643802	1.1	

1: AP-type membrane coat adaptor complex || 2: postsynaptic density || 3: postsynaptic membrane || 4: mitochondrial respiratory chain complex I || 5: early endosome membrane || 6: acrosomal vesicle || 7: anchored to membrane || 8: extracellular matrix || 9: proteinaceous extracellular matrix || 10: axon || 11: secretory granule membrane || 12: transport vesicle membrane

ECM 6, Gene set "AP-type membrane coat adaptor complex", Page 2

Num of ECM Genes: 1. Num of Predicted Genes: 52



PG	Protein	LLR	Notes
	ADM2	1.1	
	ADM	1.1	
	MAP6D1	1.1	1 / 2
	MARCKS	1.1	3 / 4
	EPO	1.1	
	BAD	0.5	5
E	C11orf95	0.4	
	CXorf21	0.4	
	OTOS	0.4	
	PROCA1	0.4	
	C14orf28	0.4	
	RHBDD3	0.4	
	SYNE4	0.4	
	APOM	0.4	
E	C11orf84	0.4	6 / 7 / 8 / 9
	TINF2	0.4	10 / 11 / 12
	TUSC5	0.4	
	VN1R4	0.4	3

1: cis-Golgi network || 2: Golgi-associated vesicle || 3: actin cytoskeleton || 4: cell cortex || 5: mitochondrial outer membrane || 6: high-density lipoprotein particle || 7: low-density lipoprotein particle || 8: spherical high-density lipoprotein particle || 9: very-low-density lipoprotein particle || 10: chromosome, telomeric region || 11: nuclear matrix || 12: nuclear telomere cap complex