

Output results of CLIME (CLustering by Inferred Models of Evolution)

Dataset:

Num of genes in input gene set: 2

Total number of genes: 20834

Prediction LLR threshold: 0

The CLIME PDF output two sections:


1) Overview of Evolutionarily Conserved Modules (ECMs)

- Top panel shows the predefined species tree.
- Bottom panel shows the partition of input genes into Evolutionary Conserved Modules (ECMs), ordered by ECM strength (shown at right), and separated by horizontal lines.
- Each row show one gene, where the phylogenetic profile indicates presence (blue) or absence (gray) of homologs in each species (column).
- Gene symbols are shown at left. Gray color indicates that the gene is a paralog to a higher scoring gene within the same ECM (based on BLASTP E < 1e-3).

2) Details of each ECM and its expansion ECM+


- Top panel shows the inferred evolutionary history on the predefined species tree. Branch color shows the gain event (blue) and loss events (red color, with brighter color indicating higher confidence in loss). Branches before the gain or after a loss are shown in gray.
- Bottom panel shows the input genes that are within the ECM (blue/white rows) as well as all genes in the expanded ECM+ (green/gray rows). The ECM+ includes genes likely to have arisen under the inferred model of evolution relative to a background model, and scored using a log likelihood ratio (LLR).
- PG indicates "paralog group" and are labeled alphabetically (i.e., A, B). The first gene within each paralog group is shown in black color. All other genes sharing sequence similarity (BLAST E < 1e-3) are assigned to the same PG label and displayed in gray.

Overview of Evolutionarily Conserved Modules (ECMs)



ECM 1, Gene set "mitotic cohesin complex", Page 1

Num of ECM Genes: 1. Num of Predicted Genes: 0



PG

Protein

SGOL1



1: chromosome, centromeric region

|| 2: condensed chromosome kinetochore

|| 3: condensed chromosome, centromeric region

|| 4: condensed nuclear chromosome, centromeric region

|| 5: kinetochore

|| 6: mitotic cohesin complex

7: spindle pole

LLR

Notes


1/2/3/4/5/6/7

ECM 2, Gene set "mitotic cohesin complex", Page 1

Num of ECM Genes: 1. Num of Predicted Genes: 60

PRESENCE ABSENCE
GAIN LOSS

Log-likelihood Ratio Scale
0 10 20 30 40 50 60




PG

	Protein	PG	LLR	Notes
	SGOL2	A	1 / 2 / 3	
	AKAP7	A	12.5	4 / 5 / 6 / 7
	MAP9	A	12.0	8
	LOC646543		9.7	
	DEXI		9.6	
	SRGN		8.7	9 / 10 / 11
	C17orf72		7.4	
	LOC100129626	B	7.3	
	TOMM5	B	7.3	12
	100510530	B	7.3	
	SLX4IP	B	6.6	
	PYDC1	B	5.3	13
	MARVELD1	B	5.3	
	GRP	B	4.5	14 / 15
	APOF	B	4.4	
	TRIQK	B	3.7	
	IFNAR2	B	3.5	
	CCL15	B	3.1	
	THEMIS2	B	3.1	
	CCL1	C	3.1	
	TAS2R39	C	3.1	
	LOC728675	C	3.1	
	IFNA8	C	3.1	
	C17orf67	C	3.1	
	POMC	D	2.5	16 / 17 / 18
	ICAM2	D	2.5	19
	CRH	D	2.5	
	KIAA1462	D	2.2	20 / 21
	PLN	D	2.2	6 / 22 / 23
	TMEM218	D	2.1	
	OMP	D	2.0	
	GKN2	D	2.0	24
	C1orf174	D	2.0	
	NPPA	D	2.0	
	C1orf168	D	2.0	9

1: chromosome, centromeric region || 2: condensed chromosome kinetochore || 3: mitotic cohesin complex || 4: exocytic vesicle || 5: lateral plasma membrane || 6: sarcoplasmic reticulum || 7: T-tubule || 8: spindle || 9: mast cell granule ||
 10: platelet alpha granule lumen || 11: zymogen granule || 12: mitochondrial outer membrane translocase complex || 13: IkappaB kinase complex || 14: high-density lipoprotein particle || 15: low-density lipoprotein particle || 16: peroxisomal matrix ||
 17: peroxisome || 18: secretory granule || 19: uropod || 20: adherens junction || 21: cell-cell junction || 22: mitochondrial membrane || 23: vesicle || 24: axon

ECM 2, Gene set "mitotic cohesin complex", Page 2

Num of ECM Genes: 1. Num of Predicted Genes: 60



1: external side of plasma membrane
9: proteinaceous extracellular matrix